

MICHELIN SCORCHER TIRES

EXCLUSIVELY FOR HARLEY-DAVIDSON® MOTORCYCLES



***ORIGINAL EQUIPMENT AND APPROVED REPLACEMENT TIRES
FOR A WIDE RANGE OF HARLEY-DAVIDSON® MOTORCYCLES***





MICHELIN SCORCHER TIRES – THE ORIGINAL EQUIPMENT TIRE RANGE FOR H-D® MOTORCYCLES

CO-DEVELOPED AND CO-BRANDED BY HARLEY-DAVIDSON®

THE BEGINNING

In 1897 Michelin introduced its first motorcycle tire, the “Triomphe” model.

In 1903, Harley-Davidson® was founded.

TEAMWORK

Michelin and Harley-Davidson® have worked together since 2008 to co-develop Michelin Scorchers, which benefit from decades of Michelin tire expertise and innovation.

QUALITY

Before a Michelin Scorchers tire can be homologated for an H-D® motorcycle, it undergoes rigorous testing to ensure Harley-Davidson’s performance and handling requirements are fully met.

PROVEN

More than 2 million Michelin Scorchers tires have rolled out of the factory on Harley-Davidson® motorcycles.



MICHELIN SCORCHER 11

ORIGINAL EQUIPMENT TIRES DESIGNED AND DEVELOPED TO DELIVER OPTIMAL HANDLING AND OUTSTANDING GRIP ON HARLEY-DAVIDSON® CRUISER MOTORCYCLES

ORIGINAL EQUIPMENT:
V-ROD®, FAT BOY®, FXDR 114™, BREAKOUT®, SPORTSTER®, SUPERLOW™ & STREET®

FRONT TIRE

Michelin P/N	H-D® P/N	Dimensions	Version	TL/TT
67519	43100017	100/80-17 52H		TL
66341	40879-11A	120/70 ZR 18 (59W)	F	TL
30664	43100021A	120/70 ZR 18 (59W)	T	TL
27741	43213-11	120/70 ZR 19 60W		TL/TT
18587	43100035	130/60 B 21 63H		TL
16205	43100016	140/75 R 17 67V		TL
11169	43100037	160/60 R 18 70V		TL

REAR TIRE

Michelin P/N	H-D® P/N	Dimensions	Version	TL/TT
66225	43200023	140/75 R 15 65H		TL
43823	43216-11	150/60 ZR 17 (66W)		TL
23647	43200026A	150/70 ZR 17 (69W)	T	TL
42471	43200011	180/55 ZR 17 (73W)		TL
74341	43200022	200/55 R 17 78V		TL
88867	43189-11	240/40 R 18 79V		TL



MICHELIN SCORCHER 31

ORIGINAL EQUIPMENT TIRES DESIGNED AND DEVELOPED TO DELIVER SUPERIOR PERFORMANCE WITH LONG AND EVEN TREAD WEAR ON HARLEY-DAVIDSON® MOTORCYCLES

ORIGINAL EQUIPMENT:
SPORT GLIDE™, LOW RIDER® S, LOW RIDER® ST & SPORTSTER®

FRONT TIRE

Michelin P/N	H-D® P/N	Dimensions	Version	TL/TT	Tube Size
86129	41036-12	80/90-21 54H	REINF	TL/TT	21MD
16136	43258-07B	100/90 B 19 57H		TL/TT	19MF
99375	43100038B	110/90 B 19 62H		TL	
34871	43100023	130/60 B 19 61H		TL/TT	19MF
85271	43100015A	130/70 B 18 63H		TL/TT	18MG
89023	43100014	130/80 B 17 65H		TL/TT	17MH
35103	55035-11A	130/90 B 16 73H	REINF	TL/TT	16MI, 16MI2

REAR TIRE

Michelin P/N	H-D® P/N	Dimensions	Version	TL/TT	Tube Size
06463	40878-11	150/80 B 16 77H	REINF	TL/TT	16MI2
16597	43250-07B	160/70 B 17 73V		TL/TT	17MI
34050	43200005	180/60 B 17 75V		TL/TT	17MI
65827	43200021	180/65 B 16 81H	REINF	TL/TT	
63478	43200038A	180/70 B 16 77H		TL	



MICHELIN SCORCHER 21

ORIGINAL EQUIPMENT TIRES
DESIGNED AND DEVELOPED
FOR THE HARLEY-DAVIDSON®
STREET ROD™ MODEL



ORIGINAL EQUIPMENT: STREET ROD™

FRONT TIRE

Michelin P/N	H-D® P/N	Dimensions	TL/TT
50899	43100027	120/70 R 17 58V	TL

REAR TIRE

Michelin P/N	H-D® P/N	Dimensions	TL/TT
05318	43200032	160/60 R 17 69V	TL



MICHELIN SCORCHER ADVENTURE

ORIGINAL EQUIPMENT
TIRES DESIGNED AND
DEVELOPED FOR ROAD AND
OFF-ROAD PERFORMANCE ON
HARLEY-DAVIDSON® ADVENTURE
TOURING MOTORCYCLES



ORIGINAL EQUIPMENT: PAN AMERICA™

FRONT TIRE

Michelin P/N	H-D® P/N	Dimensions	TL/TT
25421	43100042	120/70 R 19 60V	TL

REAR TIRE

Michelin P/N	H-D® P/N	Dimensions	TL/TT
06587	43200042	170/60 R 17 72V	TL

MICHELIN SCORCHER TIRES FOR HARLEY-DAVIDSON® MOTORCYCLES

All Michelin Scorchers tire fitments listed are homologated as original equipment or validated as an approved replacement tire by Harley-Davidson® Motor Company.

SPORTSTER®

Model Fitment	Stock/Replacement	Tire	Front Size (H-D® P/N)	Rear Size (H-D® P/N)
'11-'22 XL1200C	Stock '11-later	SCORCHER 31	130/90B16 (55035-11A)	150/80B16 (40878-11)
'10-'22 XL1200X, '18-'22 XL1200XS	Stock '11-later	SCORCHER 31	130/90B16 (55035-11A)	150/80B16 (40878-11)
'11-'22 XL883L	Stock	SCORCHER 11F	120/70ZR18 (43100038B)	—
		SCORCHER 11	—	150/60ZR17 (43216-11)
'08-'13 XR1200/X	Stock '12-'13	SCORCHER 11F	120/70ZR18 (40879-11A)	—
	Stock	SCORCHER 11	—	180/55ZR17 (43200011)
'14-'22 XL1200T	Stock	SCORCHER 11T	120/70ZR18 (43100021A)	150/70ZR17 (43200026A)
'04-later XL (except XL Custom, XL1200CX, XL1200T, XL1200X, XL1200XS, XL1200V, XR1200/X or '11-later XL883L)	Stock '11-later	SCORCHER 31	100/90B19 (43258-07B)	—
'04-later XL (except XL1200CX, XR1200/X, XL1200T or '11-later XL883L)	Stock on MY '11-later (except XL1200V)	SCORCHER 31	—	150/80B16 (40878-11)
'12-'16 XL1200V	Approved Replacement	SCORCHER 31	80/90-21 (41036-12)	150/80B16 (40878-11)
'04-'10 XL 883C, XL 1200C	Approved Replacement	SCORCHER 31	80/90-21 (41036-12)	150/80B16 (40878-11)



Sportster® 1200 Custom | XL1200C



Sportster® SuperLow | XL883L



Sportster® Forty-Eight | XL1200X



Sportster® SuperLow | XL1200T

VRSC™

Model Fitment	Stock/Replacement	Tire	Front Size (H-D® P/N)	Rear Size (H-D® P/N)
'09-'17 VRSCF	Stock '11-'17	SCORCHER 11	120/70ZR19 (43213-11)	240/40R18 (43189-11)
'07-'17 VRSCDX	Stock '11-'17	SCORCHER 11	120/70ZR19 (43213-11)	240/40R18 (43189-11)
'07-'10 VRSCAW	Approved Replacement	SCORCHER 11	120/70ZR19 (43213-11)	240/40R18 (43189-11)
'07 VRSCX	Approved Replacement	SCORCHER 11	120/70ZR19 (43213-11)	240/40R18 (43189-11)
'06 VRSCSE	Approved Replacement	SCORCHER 11	120/70ZR19 (43213-11)	240/40R18 (43189-11)



V-Rod Muscle® | VRSCF



Night Rod® Special | VRSCDX

LIVEWIRE™

Model Fitment	Stock/Replacement	Tire	Front Size (H-D® P/N)	Rear Size (H-D® P/N)
'20 ELW	Stock	SCORCHER SPORT	120/70R17 (43100041)	180/55R17 (43200041)



LiveWire™ | ELW

MICHELIN SCORCHER TIRES FOR HARLEY-DAVIDSON® MOTORCYCLES

All Michelin Scorchers tire fitments listed are homologated as original equipment or validated as an approved replacement tire by Harley-Davidson® Motor Company.

DYNA®

Model Fitment	Stock/Replacement	Tire	Front Size (H-D® P/N)	Rear Size (H-D® P/N)
'02-'17 Dyna (except FLD, FXDF, FXDFSE and FXDWG models)	Stock '10-'17	SCORCHER 31	100/90B19 (43258-07B)	160/70B17 (43250-07B)
'10-'17 FXDWG	Stock '12-'17	SCORCHER 31	80/90-21 (41036-12)	180/60B17 (43200005)



Dyna® Wide Glide® | FXDWG

PAN AMERICA™

Model Fitment	Stock/Replacement	Tire	Front Size (H-D® P/N)	Rear Size (H-D® P/N)
'21-later RA1250, RA1250S	Stock	SCORCHER ADVENTURE	120/70R19 (43100042)	170/60R17 (43200042)
'21-later RA1250, RA1250S	Approved Replacement	ANAKEE WILD	120/70R19 (43100049)	170/60R17 (43200049)
'25-later RA1250ST	Stock	SCORCHER SPORT	120/70R17 (43100041)	180/55R17 (43200041)



Pan America™ 1250 Special | RA1250S

TOURING

Model Fitment	Stock/Replacement	Tire	Front Size (H-D® P/N)	Rear Size (H-D® P/N)
'09-'19 FLHR, FLHTCU, FLHTCUTC, FLHTCUL, FLHTCULTC, FLTRU, FLHTK, FLHTKL, FLHTKSE	Approved Replacement	SCORCHER 31	130/80B17 (43100014)	180/65B16 (43200021)
'09-'13 FLHT, FLHTC, FLTR, FLHTCUSE	Approved Replacement	SCORCHER 31	130/80B17 (43100014)	180/65B16 (43200021)
'09 FLHX	Approved Replacement	SCORCHER 31	130/80B17 (43100014)	180/65B16 (43200021)
'20-'22 FLHT	Approved Replacement	SCORCHER 31	130/80B17 (43100014)	180/65B16 (43200021)
'09-later FLHP/E, FLHTP	Approved Replacement	SCORCHER 31	130/80B17 (43100014)	180/65B16 (43200021)
'10-'13 FLHX and FLTRX	Approved Replacement	SCORCHER 31	130/70B18 (43100015A)	180/65B16 (43200021)
'09-later Touring models equipped with 18" accessory wheels and 16" Michelin rear tires	Approved Replacement	SCORCHER 31	130/70B18 (43100015A)	180/65B16 (43200021)
'15-'19 FLTRX	Approved Replacement	SCORCHER 31	130/60B19 (43100023)	180/65B16 (43200021)
'15-'17 FLTRXS	Approved Replacement	SCORCHER 31	130/60B19 (43100023)	180/65B16 (43200021)
'14-'19 FLHX	Approved Replacement	SCORCHER 31	130/60B19 (43100023)	180/65B16 (43200021)
'14-'17 FLHXS	Approved Replacement	SCORCHER 31	130/60B19 (43100023)	180/65B16 (43200021)
'09-later Touring models equipped with 19" accessory wheels and 16" Michelin rear tires	Approved Replacement	SCORCHER 31	130/60B19 (43100023)	180/65B16 (43200021)



Electra Glide® Ultra Classic® | FLHTCU



Electra Glide® Standard | FLHT



Road Glide® Limited | FLTRK



Road King® | FLHR



Road Glide® Special | FLTRXS

MICHELIN SCORCHER TIRES FOR HARLEY-DAVIDSON® MOTORCYCLES

All Michelin Scorcher tire fitments listed are homologated as original equipment or validated as an approved replacement tire by Harley-Davidson® Motor Company.

SOFTAIL®

Model Fitment	Stock/Replacement	Tire	Front Size (H-D® P/N)	Rear Size (H-D® P/N)
'18-later FLFB/S	Stock	Scorchers 11	160/60R18 (43100037)	240/40R18 (43189-11)
'18-later FXBR/S	Stock	Scorchers 11	130/60B21 (43100035)	240/40R18 (43189-11)
'18-later FXLR	Stock	Scorchers 31	110/90B19 (43258-07A)	180/70B16 (43200038A)
'20-later FXLRS	Stock	Scorchers 31	110/90B19 (43100038B)	180/70B16 (43200038A)
22 FXRST	Stock	Scorchers 31	110/90B19 (43100038B)	180/70B16 (43200038A)
22-later FXLRST	Stock	Scorchers 31	110/90B19 (43100038B)	180/70B16 (43200038A)
'18-later FLDE	Approved Replacement	Scorchers 31	130/90B16 (55035-11A)	150/80B16 (40878-11)
'18-later FLHC/S	Approved Replacement	Scorchers 31	130/90B16 (55035-11A)	150/80B16 (40878-11)
'18-later FLSL	Approved Replacement	Scorchers 31	130/90B16 (55035-11A)	150/80B16 (40878-11)
'18-'20 FXBB	Approved Replacement	Scorchers 31	100/90B19 (43258-07B)	150/80B16 (40878-11)
'21-later FXBBS	Approved Replacement	Scorchers 31	100/90B19 (43258-07B)	150/80B16 (40878-11)
'18-later FLSB	Stock	Scorchers 31	130/70B18 (43100015A)	180/70B16 (43200038A)
'19-later FXDRS	Stock	Scorchers 11	120/70ZR19 (43213-11)	240/40R18 (43189-11)
'07-'17FLSTF	Approved Replacement	Scorchers 11	140/75R17 (43100016)	200/55R17 (43200022)
'10-'16 FLSTFB	Approved Replacement	Scorchers 11	140/75R17 (43100016)	200/55R17 (43200022)
'16-'17FLSTFBS	Approved Replacement	Scorchers 11	140/75R17 (43100016)	200/55R17 (43200022)



Fat Boy® 114 | FLSBS



Low Rider® | FXLR



Low Rider® ST | FXRST



Sport Glide™ | FLSB



FXDR™ 114 | FXDRS



FAT BOY® | FLSTF



Fat Boy® S | FLSTFBS

STREET™

Model Fitment	Stock/Replacement	Tire	Front Size (H-D® P/N)	Rear Size (H-D® P/N)
'15-20 XG (except XG750A)	Stock	SCORCHER 11	100/80-17 (43100017)	140/75R15 (43200023)
'17-'20 XG750A	Stock	SCORCHER 21	120/70R17 (43100027)	160/60R17 (43200032)



Street Rod™ | XG750A

A TEAM EFFORT: MICHELIN AND HARLEY-DAVIDSON®

The Michelin and Harley-Davidson® design and engineering teams work closely throughout the development of each new model of Michelin Scorchers tire to ensure that all aspects of performance are optimized for each Harley-Davidson® motorcycle. Beyond tuning the tire to deliver Harley-Davidson's precise on-road handling characteristics, designers conduct a battery of rigorous tests to ensure that wet and dry grip performances meet the high standards set by Michelin, without sacrificing longevity. Only then can the tire display the trademarks of both of these iconic brands.

Michelin Scorchers tires are available for most Harley-Davidson® motorcycles wherever Michelin motorcycle tires are sold.



michelinman.com/motorcycle
[@michelinmotorcycle](#)
[#MichelinOnMyMoto](#)



Copyright ©2026 Michelin North America, Inc. All rights reserved. ©2026 H-D or its affiliates. HARLEY-DAVIDSON, HARLEY, H-D, and the Bar and Shield Logo are among the trademarks of H-D U.S.A., LLC. Third-party trademarks are the property of their respective owners. Photography © Michelin or Harley-Davidson. | MTW00458