

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
Page:	1 of 44		

INSTALLATION INSTRUCTIONS
 for
MICHELIN
5, 6, 8 & 10 INCH RIM DIAMETER
TIRES
 on
GENERAL AVIATION AIRCRAFT
 With
 FAA Approval per
 STC# SA02532AT



Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
	Page:	2 of 44	

RECORDS OF REVISIONS

REVISION	DATE	EFFECT ON PAGE	REASON FOR REVISION
Original	May 23, 2002	-	Initial Issue
A	August 4, 2006	-	Added Record of Revision Page, List of Active Pages, Table of Content & Cessna 120-208 Acft; Revised title page and renumbered other pages as required to insert data.
B	August 28 ,2023	ALL	Added additional Part Numbers for the Michelin Air, Aviator, and Pilot tire to the application table. Revised Header and logo to be current. Updated Michelin phone number and Aircraft Tire Care and Service Manual information.

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	3 of 44

LIST OF ACTIVE PAGES

PAGE NUMBER	Rev	Date	PAGE Number	Rev	Date
1	B	Aug 28, 2023	26	B	Aug 28, 2023
2	B	Aug 28, 2023	27	B	Aug 28, 2023
3	B	Aug 28, 2023	28	B	Aug 28, 2023
4	B	Aug 28, 2023	29	B	Aug 28, 2023
5	B	Aug 28, 2023	30	B	Aug 28, 2023
6	B	Aug 28, 2023	31	B	Aug 28, 2023
7	B	Aug 28, 2023	32	B	Aug 28, 2023
8	B	Aug 28, 2023	33	B	Aug 28, 2023
9	B	Aug 28, 2023	34	B	Aug 28, 2023
10	B	Aug 28, 2023	35	B	Aug 28, 2023
11	B	Aug 28, 2023	36	B	Aug 28, 2023
12	B	Aug 28, 2023	37	B	Aug 28, 2023
13	B	Aug 28, 2023	38	B	Aug 28, 2023
14	B	Aug 28, 2023	39	B	Aug 28, 2023
15	B	Aug 28, 2023	40	B	Aug 28, 2023
16	B	Aug 28, 2023	41	B	Aug 28, 2023
17	B	Aug 28, 2023	42	B	Aug 28, 2023
18	B	Aug 28, 2023	43	B	Aug 28, 2023
19	B	Aug 28, 2023	44	B	Aug 28, 2023
20	B	Aug 28, 2023			
21	B	Aug 28, 2023			
22	B	Aug 28, 2023			
23	B	Aug 28, 2023			
24	B	Aug 28, 2023			
25	B	Aug 28, 2023			

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
	Page:	4 of 44	

TABLE OF CONTENTS

TITLE PAGE	1
RECORDS OF REVISIONS	2
LIST OF ACTIVE PAGES	3
TABLE OF CONTENTS	4
PURPOSE	5
TIRE INSTALLATION PROCEDURES	5
EXPLANATION OF THE INSTALLATION TABLE	5
TIRE APPLICATION TABLE	6

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
	Page:	5 of 44	

Purpose

The intent of this document is to provide the required approval authorities and the end user a single source to refer to when determining which tire may be installed on an aircraft involved in the subject STC. This document serves a purpose similar to that of a service bulletin, and, in combination with the STC approval document, may be used to show that the airworthiness of each tire on its associated aircraft has been demonstrated.

Tire Installation Procedures

Installation and maintenance of these tires should be performed according to the appropriate Aircraft Component Maintenance Manual. In the absence of such a document, tires should be installed and maintained according to the guidelines provided in the Michelin Aircraft Tire Care and Service Manual, Reference: #MAT-CSM 32-45-01 – Revision F: 1 June 2021

Explanation of the Installation Table

The table on the following pages should be used to determine the appropriate tire(s) that can be used for the subject aircraft. It has initially been sorted by the OEM, aircraft model, and the aircraft series or popular name, as provided in the appropriate OEM IPC. Following this, additional complement information, such as specific serial numbers or model years, is given. The next columns in the table include information on gear position (main or nose), tire size, tire ply rating, and tire speed rating. Finally, the approved Michelin part numbers are given by brand name.

Any questions concerning the use of this table should be directed to Michelin Aircraft Tire, Customer Service. 1-877-503-8071

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
Page:		6 of 44	

Note: When an asterisk(*) is present at the end of the Part Number, the speed rating and/or ply rating is higher than the original requirement.

Rev.	Airframer	Model	Series or Popular Name	Complement Information	MLG/NLG	Size	PR	MPH	P/N by Brand			
									Michelin Air	Aviator	Condor	Pilot
B	Ayres Corporation	S-2R	Thrush		M	8.50-10	10	160	025-350-0	021-350-0, 061-350-0		025-350-1
B	Beech	H18			M	8.50-10	10	120	025-350-0*		072-379-0	025-350-1*
B	Beech	H18			N	8.50-10	10	120	025-350-0*		072-379-0	025-350-1*
B	Beech	19			M	15x6.0-6	6	120	025-501-1*		072-449-0	025-501-0*
B	Beech	19			M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Beech	19			N	15x6.0-6	6	120	025-501-1*		072-449-0	025-501-0*
B	Beech	19			N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Beech	B19			M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Beech	B19			N	15x6.0-6	6	120	025-501-1*		072-449-0	025-501-0*
B	Beech	B19			N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Beech	23			M	15x6.0-6	6	120	025-501-1*		072-449-0	025-501-0*
B	Beech	23			M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Beech	23			N	15x6.0-6	6	120	025-501-1*		072-449-0	025-501-0*
B	Beech	23			N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Beech	C23			M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Beech	C23			N	15x6.0-6	6	120	025-501-1*		072-449-0	025-501-0*
B	Beech	C23			N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Beech	24			M	15x6.0-6	6	120	025-501-1*		072-449-0	025-501-0*

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	7 of 44

B	Beech	24			M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Beech	24			N	15x6.0-6	6	120	025-501-1*		072-449-0	025-501-0*
B	Beech	24			N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Beech	24R			M	15x6.0-6	6	120	025-501-1*		072-449-0	025-501-0*
B	Beech	24R			M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Beech	24R			N	15x6.0-6	6	120	025-501-1*		072-449-0	025-501-0*
B	Beech	24R			N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Beech	C24R			M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Beech	C24R			N	15x6.0-6	6	120	025-501-1*		072-449-0	025-501-0*
B	Beech	C24R			N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Beech	33			M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Beech	33			M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Beech	33			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	A33			M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Beech	A33			M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Beech	A33			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	B33			M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Beech	B33			M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Beech	B33			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	C33			M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Beech	C33			M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Beech	C33			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	C33E			M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	8 of 44

B	Beech	C33E			M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Beech	C33E			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	E33			M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Beech	E33			M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Beech	E33			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	E33A			M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Beech	E33A			M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Beech	E33A			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	F33			M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Beech	F33			M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Beech	F33			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	F33A			M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Beech	F33A			M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Beech	F33A			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	F33C			M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Beech	F33C			M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Beech	F33C			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	G33			M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Beech	G33			M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Beech	G33			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	35			M	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*
B	Beech	35			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	A35			M	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	9 of 44

B	Beech	A35			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	B35			M	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*
B	Beech	B35			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	C35			M	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*
B	Beech	C35			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	D35			M	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*
B	Beech	D35			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	E35			M	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*
B	Beech	E35			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	F35			M	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*
B	Beech	F35			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	G35			M	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*
B	Beech	G35			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	H35			M	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*
B	Beech	H35			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	V35A-TC			M	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*
B	Beech	V35A-TC			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	V35B			M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Beech	V35B			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	V35B-TC			M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Beech	V35B-TC			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	36			M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Beech	36			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	10 of 44

B	Beech	A36			M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Beech	A36			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	A36TC			M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Beech	A36TC			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	B36TC			M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Beech	B36TC			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	B50			M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
	Beech	B50			N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	C50			M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
	Beech	C50			N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	D50			M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
	Beech	D50			N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	D50A			M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
	Beech	D50A			N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	D50B			M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
	Beech	D50B			N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	D50C			M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
	Beech	D50C			N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	D50E			M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
	Beech	D50E			N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	E50			M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
	Beech	E50			N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	F50			M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	11 of 44

	Beech	F50			N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	G50			M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
	Beech	G50			N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	H50			M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
	Beech	H50			N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	J50			M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
	Beech	J50			N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	55	Baron 55		M	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*
B	Beech	55	Baron 55		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Beech	A55	Baron 55		M	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*
B	Beech	A55	Baron 55		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Beech	B55	Baron 55		M	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*
B	Beech	B55	Baron 55		M	6.50-8	8	160	025-338-0	061-338-2		025-338-1
B	Beech	B55	Baron 55		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Beech	C55	Baron 55		M	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*
B	Beech	C55	Baron 55		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Beech	D55	Baron 55		M	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*
B	Beech	D55	Baron 55		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Beech	E55	Baron 55		M	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*
B	Beech	E55	Baron 55		M	6.50-8	8	160	025-338-0	061-338-2		025-338-1
B	Beech	E55	Baron 55		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Beech	56TC			M	6.50-8	8	160	025-338-0	061-338-2		025-338-1
B	Beech	56TC			N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	12 of 44

B	Beech	A56TC			M	6.50-8	8	160	025-338-0	061-338-2		025-338-1
B	Beech	A56TC			N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Beech	58	Baron		M	6.50-8	8	160	025-338-0	061-338-2		025-338-1
B	Beech	58	Baron		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Beech	58P	Baron		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Beech	58TC	Baron		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Beech	60	Duke		M	6.50-8	8	160	025-338-0	061-338-2		025-338-1
B	Beech	60	Duke		N	15x6.0-6	6	120	025-501-1*		072-449-0	025-501-0*
B	Beech	A60	Duke		M	6.50-8	8	160	025-338-0	061-338-2		025-338-1
B	Beech	A60	Duke		N	15x6.0-6	6	120	025-501-1*		072-449-0	025-501-0*
B	Beech	B60	Duke		N	15x6.0-6	6	120	025-501-1*		072-449-0	025-501-0*
B	Beech	65	Queen Air		M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
	Beech	65	Queen Air		N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	A65	Queen Air		M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
	Beech	A65	Queen Air		N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	70	Queen Air		M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
	Beech	70	Queen Air		N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	76	Duchess		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Beech	76	Duchess		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Beech	77	Skipper		M	15x6.0-6	6	120	025-501-1*		072-449-0	025-501-0*
B	Beech	77	Skipper		N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Beech	80	Queen Air		M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
	Beech	80	Queen Air		N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
Page:		13 of 44	

B	Beech	A80	Queen Air		M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
	Beech	A80	Queen Air		N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	B80	Queen Air		M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
	Beech	B80	Queen Air		N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	88			M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
	Beech	88			N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	90	King Air		M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
B	Beech	90	King Air		M	8.50-10	10	120	025-350-0*		072-379-0	025-350-1*
	Beech	90	King Air		N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	A90	King Air		M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
B	Beech	A90	King Air		M	8.50-10	10	120	025-350-0*		072-379-0	025-350-1*
	Beech	A90	King Air		N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	B90	King Air		M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
B	Beech	B90	King Air		M	8.50-10	10	120	025-350-0*		072-379-0	025-350-1*
	Beech	B90	King Air		N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	C90	King Air		M	8.50-10	10	120	025-350-0*		072-379-0	025-350-1*
	Beech	C90	King Air		N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	C90A	King Air		M	8.50-10	10	120	025-350-0*		072-379-0	025-350-1*
	Beech	C90A	King Air		N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	C90B	King Air		M	8.50-10	10	120	025-350-0*		072-379-0	025-350-1*
	Beech	C90B	King Air		N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Beech	E90	King Air		M	8.50-10	10	120	025-350-0*		072-379-0	025-350-1*
	Beech	E90	King Air		N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	14 of 44

B	Beech	95			M	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*
B	Beech	95			N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Beech	B95			M	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*
B	Beech	B95			N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Beech	B95A			M	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*
B	Beech	B95A			N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Beech	D95			N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Beech	D95A			M	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*
B	Beech	E95			M	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*
B	Beech	E95			N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
	Beech	99	Airliner		M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
	Beech	99	Airliner		N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
	Beech	99A	Airliner		M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
	Beech	99A	Airliner		N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
	Beech	A99A	Airliner		M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
	Beech	A99A	Airliner		N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
	Beech	B99	Airliner		M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
	Beech	B99	Airliner		N	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
A, B	Cessna	120			M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
A	Cessna	120			M	8.00-6	4	120		071-371-0	072-371-0	
A, B	Cessna	140, 140A			M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
A, B	Cessna	150, 152			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
Page:		15 of 44	

A, B	Cessna	150, 152		M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
	Cessna	150	S/N 15060477 Thru 15063457	N	15X6.0-6	6	120	070-449-0	061-501-0	072-449-0	025-501-0*
A, B	Cessna	170		M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
A	Cessna	170		M	8.00-6	4	120		071-371-0	072-371-0	
A, B	Cessna	172		N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
	Cessna	172 & F172	172 S/S 17274010 & on; F172 S/S 17202040 & on	N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
A, B	Cessna	172		M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
A, B	Cessna	172		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
A, B	Cessna	R172		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
A, B	Cessna	R172		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
A, B	Cessna	172Q		N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
A, B	Cessna	172Q		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
A, B	Cessna	172RG		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
A, B	Cessna	172RG		M	15X6.0-6	6	120	070-449-0	061-501-0	072-449-0	025-501-0*
A, B	Cessna	175		N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
A, B	Cessna	175		M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
A, B	Cessna	177		N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
Page:		16 of 44	

A, B	Cessna	177		S/N 17700001 Thru 17701164	M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
A, B	Cessna	177			M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
A, B	Cessna	177		S/N 17701165 & on	M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
A, B	Cessna	177RG			N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
A, B	Cessna	177RG			M	15X6.0-6	6	120	070-449-0	061-501-0	072-449-0	025-501-0*
A, B	Cessna	180			M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
A	Cessna	180			M	8.00-6	4	120		071-371-0	072-371-0	
A, B	Cessna	182, 182S, T182			N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
A, B	Cessna	182, 182S, T182			M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
A, B	Cessna	R182, TR182	182RG, T182RG		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
A, B	Cessna	R182, TR182	182RG, T182RG		M	15X6.0-6	6	120	070-449-0	061-501-0	072-449-0	025-501-0*
A, B	Cessna	185			M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
A	Cessna	185			M	8.00-6	4	120		071-371-0	072-371-0	
A	Cessna	188			M	8.00-6	4	120		071-371-0	072-371-0	
A	Cessna	188			M	22X8.0-8	8	120	024-560-0			
A, B	Cessna	188			M	8.50-10	8	120	025-349-0	021-349-0	072-376-0	025-350-1*

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	17 of 44

A, B	Cessna	205			N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
A, B	Cessna	205			M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
A	Cessna	205			M	8.00-6	6	120		071-371-0	072-371-0	
	Cessna	206	Station Air		M	8.00-6	6	120		071-371-0	072-371-0	
	Cessna	P206	Station Air		M	8.00-6	6	120		071-371-0	072-371-0	
	Cessna	U206	Station Air		M	8.00-6	6	120		071-371-0	072-371-0	
	Cessna	208	Caravan Flotation		M	29x11.0-10	10	120	076-446-0	077-446-0	078-446-0	
	Cessna	208	Caravan		M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
	Cessna	208	Caravan		M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Cessna	208	Caravan		M	6.50-10	10	160	076-356-1	021-356-1		
B	Cessna	208	Caravan Flotation		M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
B	Cessna	208	Caravan Flotation		M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*
B	Cessna	208	Caravan Flotation		M	8.50-10	10	120	025-350-0*		072-379-0	025-350-1*
B	Cessna	208	Caravan Flotation		M	8.50-10	10	160	025-350-0	021-350, 061-350		025-350-1
B	Cessna	208	Caravan		N	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*
B	Cessna	208	Caravan		N	6.50-8	8	160	025-338-0	061-338-2		025-338-1
B	Cessna	T303			M	6.50-8	8	120	025-338-0*		072-364-0	025-338-1*
	Cessna	310			M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
	Cessna	310		1975 thru 1981	M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	18 of 44

B	Cessna	310		1975 thru 1981	N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Cessna	310			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Cessna	310B			M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Cessna	310B			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Cessna	310C			M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Cessna	310C			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Cessna	310D			M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Cessna	310D			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Cessna	310F			M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Cessna	310F			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Cessna	310G			M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Cessna	310G			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Cessna	310H			M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Cessna	310H			N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Cessna	310H			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Cessna	310I			M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Cessna	310I			N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Cessna	310I			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Cessna	310J			M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Cessna	310J			N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Cessna	310J			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Cessna	310K			M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	19 of 44

B	Cessna	310K			N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Cessna	310K			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Cessna	310L			M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Cessna	310L			N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Cessna	310L			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Cessna	310-N			M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Cessna	310-N			N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Cessna	310-N			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Cessna	310P			M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Cessna	310P			N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Cessna	310P			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Cessna	310Q			M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Cessna	310Q			N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Cessna	310Q			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Cessna	310R			M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
B	Cessna	310R			N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Cessna	310R			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Cessna	T310P			M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Cessna	T310P			N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Cessna	T310P			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Cessna	T310Q			M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Cessna	T310Q			N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Cessna	T310Q			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	20 of 44

	Cessna	320			M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Cessna	320	Skyknight		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Cessna	320A			M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Cessna	320A	Skyknight	320A0006 and higher	N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Cessna	320A	Skyknight		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Cessna	320B			M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Cessna	320B	Skyknight		N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Cessna	320B	Skyknight		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Cessna	320C			M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Cessna	320C	Skyknight		N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Cessna	320C	Skyknight		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Cessna	320D	Executive Skyknight		M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Cessna	320D	Executive Skyknight		N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
	Cessna	320E	Executive Skyknight		M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Cessna	320E			N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
	Cessna	320F	Executive Skyknight		M	6.50-10	6	120	076-367-0	077-367-0	078-367-0	
B	Cessna	320F			N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
	Cessna	335			M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
	Cessna	335			M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Cessna	335			M	6.50-10	10	160	076-356-1	021-356-1		

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	21 of 44

B	Cessna	335			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Cessna	335			N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
	Cessna	340			M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
	Cessna	340			M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Cessna	340			M	6.50-10	10	160	076-356-1	021-356-1		
B	Cessna	340			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Cessna	340			N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
	Cessna	340A			M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
	Cessna	340A			M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Cessna	340A			M	6.50-10	10	160	076-356-1	021-356-1		
B	Cessna	340A			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Cessna	340A			N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
	Cessna	401			M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
	Cessna	401			M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Cessna	401			M	6.50-10	10	160	076-356-1	021-356-1		
B	Cessna	401			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Cessna	401			N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
	Cessna	401A			M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
	Cessna	401A			M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Cessna	401A			M	6.50-10	10	160	076-356-1	021-356-1		
B	Cessna	401A			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	22 of 44

B	Cessna	401A			N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
	Cessna	401B			M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
	Cessna	401B			M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Cessna	401B			M	6.50-10	10	160	076-356-1	021-356-1		
B	Cessna	401B			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Cessna	401B			N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
	Cessna	402			M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
	Cessna	402			M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Cessna	402			M	6.50-10	10	160	076-356-1	021-356-1		
B	Cessna	402			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Cessna	402			N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
	Cessna	402A			M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
	Cessna	402A			M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Cessna	402A			M	6.50-10	10	160	076-356-1	021-356-1		
B	Cessna	402A			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Cessna	402A			N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
	Cessna	402B			M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
	Cessna	402B			M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Cessna	402B			M	6.50-10	10	160	076-356-1	021-356-1		
B	Cessna	402B			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
Page:		23 of 44	

B	Cessna	402B			N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
	Cessna	402C	Businessliner and Utililiner		M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
	Cessna	402C	Businessliner and Utililiner		M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Cessna	402C	Businessliner and Utililiner		M	6.50-10	10	160	076-356-1	021-356-1		
B	Cessna	402C	Businessliner and Utililiner		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Cessna	402C	Businessliner and Utililiner		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Cessna	404	Titan Ambassador, Titan Courier, and Titan Freighter		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Cessna	404	Titan Ambassador, Titan Courier, and Titan Freighter		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Cessna	406	Caravan II		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Cessna	406	Caravan II		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Cessna	F406	Caravan II		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Cessna	F406	Caravan II		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
	Cessna	411			M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	24 of 44

	Cessna	411			M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Cessna	411			M	6.50-10	10	160	076-356-1	021-356-1		
B	Cessna	411			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Cessna	411			N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
	Cessna	411A			M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
	Cessna	411A			M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Cessna	411A			M	6.50-10	10	160	076-356-1	021-356-1		
B	Cessna	411A			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Cessna	411A			N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
	Cessna	414	Chancellor		M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
	Cessna	414	Chancellor		M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Cessna	414	Chancellor		M	6.50-10	10	160	076-356-1	021-356-1		
B	Cessna	414	Chancellor		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Cessna	414	Chancellor		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
	Cessna	414A	Chancellor		M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
	Cessna	414A	Chancellor		M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Cessna	414A	Chancellor		M	6.50-10	10	160	076-356-1	021-356-1		
B	Cessna	414A	Chancellor		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Cessna	414A	Chancellor		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
	Cessna	421	Golden Eagle and		M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	25 of 44

		Executive Commuter									
	Cessna	421	Golden Eagle and Executive Commuter	M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Cessna	421	Golden Eagle and Executive Commuter	M	6.50-10	10	160	076-356-1	021-356-1		
B	Cessna	421	Golden Eagle & Executive Commuter	N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Cessna	421	Golden Eagle & Executive Commuter	N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
	Cessna	421A	Golden Eagle and Executive Commuter	M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
	Cessna	421A	Golden Eagle and Executive Commuter	M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Cessna	421A	Golden Eagle and Executive Commuter	M	6.50-10	10	160	076-356-1	021-356-1		
B	Cessna	421A	Golden Eagle & Executive Commuter	N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	26 of 44

B	Cessna	421A	Golden Eagle & Executive Commuter		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
	Cessna	421B	Golden Eagle and Executive Commuter		M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
	Cessna	421B	Golden Eagle and Executive Commuter		M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Cessna	421B	Golden Eagle and Executive Commuter		M	6.50-10	10	160	076-356-1	021-356-1		
B	Cessna	421B	Golden Eagle & Executive Commuter		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Cessna	421B	Golden Eagle & Executive Commuter		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
	Cessna	421C	Golden Eagle		M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
	Cessna	421C	Golden Eagle		M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Cessna	421C	Golden Eagle		M	6.50-10	10	160	076-356-1	021-356-1		
B	Cessna	421C	Golden Eagle & Executive Commuter		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Cessna	421C	Golden Eagle & Executive Commuter		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	27 of 44

B	Cessna	425	Conquest I / Corsair		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Cessna	425	Conquest I / Corsair		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
	Cessna	425	Conquest I / Corsair		N	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
	Cessna	425	Conquest I / Corsair		N	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Cessna	425	Conquest I / Corsair		N	6.50-10	10	160	076-356-1	021-356-1		
B	Cessna	441	Conquest / Conquest II		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Cessna	441	Conquest / Conquest II		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Mitsubishi	MU-2B			M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*
B	Mitsubishi	MU-2B			N	5.00-5	8	160	070-310-0	021-310-0		
B	Mitsubishi	MU-2B-40	Solitaire		M	8.50-10	10	160	025-350-0	021-350, 061-350		025-350-1
B	Mitsubishi	MU-2B-40	Solitaire		N	5.00-5	8	160	070-310-0	021-310-0		
B	Mitsubishi	MU-2B-60	Marquis		M	8.50-10	10	160	025-350-0	021-350, 061-350		025-350-1
B	Mitsubishi	MU-2B-60	Marquis		N	5.00-5	8	160	070-310-0	021-310-0		
B	Mitsubishi	MU-2D	MU-2B-10		M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*
B	Mitsubishi	MU-2D	MU-2B-10		N	5.00-5	8	160	070-310-0	021-310-0		
B	Mitsubishi	MU-2DP	MU-2B-15		M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	28 of 44

B	Mitsubishi	MU-2DP	MU-2B-15		N	5.00-5	8	160	070-310-0	021-310-0		
B	Mitsubishi	MU-2G	MU-2B-30		M	8.50-10	10	160	025-350-0	021-350, 061-350		025-350-1
B	Mitsubishi	MU-2G	MU-2B-30		N	5.00-5	8	160	070-310-0	021-310-0		
B	Mitsubishi	MU-2J	MU-2B-35		M	8.50-10	10	160	025-350-0	021-350, 061-350		025-350-1
B	Mitsubishi	MU-2J	MU-2B-35		N	5.00-5	8	160	070-310-0	021-310-0		
B	Mitsubishi	MU-2K	MU-2B-25		M	8.50-10	10	160	025-350-0	021-350, 061-350		025-350-1
B	Mitsubishi	MU-2K	MU-2B-25		N	5.00-5	8	160	070-310-0	021-310-0		
B	Mitsubishi	MU-2L	MU-2B-36		M	8.50-10	10	160	025-350-0	021-350, 061-350		025-350-1
B	Mitsubishi	MU-2L	MU-2B-36		N	5.00-5	8	160	070-310-0	021-310-0		
B	Mitsubishi	MU-2M	MU-2B-26		M	8.50-10	10	160	025-350-0	021-350, 061-350		025-350-1
B	Mitsubishi	MU-2M	MU-2B-26		N	5.00-5	8	160	070-310-0	021-310-0		
B	Mitsubishi	MU-2N	MU-2B-36A		M	8.50-10	10	160	025-350-0	021-350, 061-350		025-350-1
B	Mitsubishi	MU-2N	MU-2B-36A		N	5.00-5	8	160	070-310-0	021-310-0		
B	Mitsubishi	MU-2P	MU-2B-26A		M	8.50-10	10	160	025-350-0	021-350, 061-350		025-350-1
B	Mitsubishi	MU-2P	MU-2B-26A		N	5.00-5	8	160	070-310-0	021-310-0		
B	Piper	PA-18	Super Cub	18-7609137 and higher	M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-18	Super Cub	18-7609137 and higher	M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Piper	PA-18	Super Cub	18-7609137 and higher	M	8.00-6	6	120		071-371-0	072-371-0	

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	29 of 44

B	Piper	PA-18A	Super Cub	18-7609137 and higher	M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-18A	Super Cub	18-7609137 and higher	M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
	Piper	PA-18A	Super Cub	18-7609137 and higher	M	8.00-6	6	120		071-371-0	072-371-0	
B	Piper	PA-18- 150	Super Cub		M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-22	Colt / Tri- Pacer		M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-22	Colt / Tri- Pacer		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-22	Colt / Tri- Pacer		N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-22	Colt / Tri- Pacer		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-23- 150	Apache		M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Piper	PA-23- 150	Apache		N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-23- 160	Apache		M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Piper	PA-23- 160	Apache		N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-23- 235	Apache		M	7.00-6	8	120	070-306-0	071-306-0	072-306-0	025-321-0*
B	Piper	PA-23- 235	Apache		N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-23- 235	Apache		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	30 of 44

B	Piper	PA-23-250	Aztec / Six Place		M	7.00-6	8	120	070-306-0	071-306-0	072-306-0	025-321-0*
B	Piper	PA-23-250	Aztec / Six Place		N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-23-250	Aztec / Six Place		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-24-180	Commanche		M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-24-180	Commanche		N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-24-250	Commanche		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-24-250	Commanche		N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-24-260	Commanche		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-24-260	Commanche		N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-24-400	Commanche		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-25-150	Pawnee		M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
	Piper	PA-25-235	Pawnee		M	8.00-6	6	120		071-371-0	072-371-0	
	Piper	PA-25-260	Pawnee		M	8.00-6	6	120		071-371-0	072-371-0	
B	Piper	PA-28-140	Cherokee		M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-28-140	Cherokee		N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	31 of 44

B	Piper	PA-28-150	Cherokee		M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-28-150	Cherokee		N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-28-151	Cherokee Warrior		N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Piper	PA-28-151	Cherokee Warrior		N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-28-160	Cherokee		M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-28-160	Cherokee		N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-28-161	Cherokee Warrior		N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Piper	PA-28-161	Cherokee Warrior		N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-28-180	Cherokee		M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-28-180	Cherokee		N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-28-181	Archer II/III		M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-28-181	Archer II/III		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-28-181	Archer II/III		N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-28-201T	Turbo Dakota		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-28-201T	Turbo Dakota		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	32 of 44

B	Piper	PA-28-235			N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-28-235			N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-28-236	Dakota		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-28-236	Dakota	28-8111001 and up	M	6.00-6	8	120	070-317-0	071-317-0	072-317-0	025-317-1
B	Piper	PA-28-236	Dakota		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-28R-180	Arrow		M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-28R-180	Arrow		N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Piper	PA-28R-200	Arrow		M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-28R-200	Arrow		N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Piper	PA-28R-201	Arrow III/IV		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-28R-201	Arrow III/IV		N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Piper	PA-28R-201T	Arrow III/IV		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-28R-201T	Arrow III/IV		N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Piper	PA-28RT-201	Arrow III/IV		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	33 of 44

B	Piper	PA-28RT-201	Arrow III/IV		N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Piper	PA-28RT-201T	Arrow III/IV		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-28RT-201T	Arrow III/IV		N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Piper	PA-30	Twin Commanche		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-30	Twin Commanche		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Piper	PA-31-300	Navajo		M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
B	Piper	PA-31-300	Navajo		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Piper	PA-31-310	Navajo		M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
B	Piper	PA-31-310	Navajo		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Piper	PA-31-325	Navajo		M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
B	Piper	PA-31-325	Navajo		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Piper	PA-31-350	Navajo Chieftan		M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
	Piper	PA-31-350	T1020		M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	34 of 44

B	Piper	PA-31-350	Navajo Chieftan		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-31-350 T1020			NLG	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-31P	Pressurized Navajo		M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
B	Piper	PA-31P	Pressurized Navajo		N	6.00-6	8	120	070-317-0	071-317-0	072-317-0	025-317-1
	Piper	PA-31P-350	Mojave		M	6.50-10	8	120	076-345-0	077-345-0	078-345-0	
	Piper	PA-31T	Cheyenne		M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Piper	PA-31T1	Cheyenne		M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Piper	PA-31T2	Cheyenne		M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
	Piper	PA-31T3	T1040		M	6.50-10	10	120	076-356-0	077-356-0	078-356-0	
B	Piper	PA-32-260	Cherokee		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-32-260	Cherokee		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-32-260	Cherokee		N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-32-300	Cherokee		N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-32-300	Cherokee		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-32-300	Cherokee		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-32-301	Saratoga		M	6.00-6	8	120	070-317-0	071-317-0	072-317-0	025-317-1

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	35 of 44

B	Piper	PA-32-301	Saratoga		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Piper	PA-32-301	Saratoga	Used if navigation or strobe lights are installed	N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-32-301	Saratoga	Used if navigation or strobe lights are not installed	N	6.00-6	8	120	070-317-0	071-317-0	072-317-0	025-317-1
B	Piper	PA-32-301T	Saratoga		M	6.00-6	8	120	070-317-0	071-317-0	072-317-0	025-317-1
B	Piper	PA-32-301T	Saratoga		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Piper	PA-32-301T	Saratoga	Used if navigation or strobe lights are installed	N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-32-301T	Saratoga	Used if navigation or strobe lights are not installed	N	6.00-6	8	120	070-317-0	071-317-0	072-317-0	025-317-1
B	Piper	PA-32R-300	Cherokee		M	6.00-6	8	120	070-317-0	071-317-0	072-317-0	025-317-1
B	Piper	PA-32R-300	Cherokee		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Piper	PA-32R-301	Saratoga II HP		M	6.00-6	8	120	070-317-0	071-317-0	072-317-0	025-317-1

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	36 of 44

B	Piper	PA-32R-301	Saratoga SP / II HP / Turbo SP		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Piper	PA-32R-301T	Saratoga SP / Turbo SP		M	6.00-6	8	120	070-317-0	071-317-0	072-317-0	025-317-1
B	Piper	PA-32R-301T	Saratoga SP / II HP / Turbo SP		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Piper	PA-32RT	Lance II		M	6.00-6	8	120	070-317-0	071-317-0	072-317-0	025-317-1
B	Piper	PA-32RT	Lance II		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Piper	PA-34-200	Seneca		M	6.00-6	8	120	070-317-0	071-317-0	072-317-0	025-317-1
B	Piper	PA-34-200	Seneca		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-34-200	Seneca		N	6.00-6	8	120	070-317-0	071-317-0	072-317-0	025-317-1
B	Piper	PA-34-200T	Seneca II		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-34-200T	Seneca II		M	6.00-6	8	120	070-317-0	071-317-0	072-317-0	025-317-1
B	Piper	PA-34-200T	Seneca II		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-34-200T	Seneca II		N	6.00-6	8	120	070-317-0	071-317-0	072-317-0	025-317-1
B	Piper	PA-34-220T	Seneca III/IV/V		M	6.00-6	8	120	070-317-0	071-317-0	072-317-0	025-317-1
B	Piper	PA-34-220T	Seneca III/IV/V		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-34-220T	Seneca III/IV/V		N	6.00-6	8	120	070-317-0	071-317-0	072-317-0	025-317-1

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	37 of 44

B	Piper	PA-36-285	Pawnee Brave		M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
B	Piper	PA-36-300	Brave		M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
B	Piper	PA-36-375	Brave		M	8.50-10	8	120	025-350-0*		072-376-0	025-350-1*
B	Piper	PA-38-112	Tomahawk		M	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-38-112	Tomahawk		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-38-112	Tomahawk	s/n 38-78A0001 to 38-80A0198	N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Piper	PA-38-112	Tomahawk		N	6.00-6	4	120	070-315-0	071-315-0	072-315-0	025-316-0*
B	Piper	PA-39	Twin Commanche		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Piper	PA-39	Twin Commanche		N	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
	Piper	PA-42	Cheyenne III / IIIA		M	6.50-10	12	160	076-357-1	021-357-1		
	Piper	PA-42-1000	Cheyenne 400		M	6.50-10	12	160	076-357-1	021-357-1		
	Piper	PA-42-720	Cheyenne III / IIIA		M	6.50-10	12	160	076-357-1	021-357-1		
B	Piper	PA-44-180	Seminole		M	6.00-6	8	120	070-317-0	071-317-0	072-317-0	025-317-1
B	Piper	PA-44-180	Seminole		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	38 of 44

B	Piper	PA-44-180T	Seminole		M	6.00-6	8	120	070-317-0	071-317-0	072-317-0	025-317-1
B	Piper	PA-44-180T	Seminole		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Piper	PA-46-310P	Malibu		M	6.00-6	8	120	070-317-0	071-317-0	072-317-0	025-317-1
B	Piper	PA-46-310P	Malibu		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Piper	PA-46-350P	Malibu Mirage		M	6.00-6	8	120	070-317-0	071-317-0	072-317-0	025-317-1
B	Piper	PA-46-350P	Malibu		M	6.00-6	8	120	070-317-0	071-317-0	072-317-0	025-317-1
B	Piper	PA-46-350P	Malibu		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Piper	PA-46-350P	Malibu Mirage		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Piper	PA-46-500TP	Malibu Meridian		M	6.00-6	8	120	070-317-0	071-317-0	072-317-0	025-317-1
B	Piper	PA-46-500TP	Malibu Meridian		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Piper	PA-46-500TP	Malibu Meridian		N	5.00-5	8	160	070-310-0	021-310-0		
B	Rockwell International	112	Commander		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Rockwell International	112	Commander		M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Rockwell International	112	Commander		N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Rockwell International	112B	Commander		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	39 of 44

B	Rockwell International	112B	Commander		M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Rockwell International	112B	Commander		N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Rockwell International	112TC	Commander		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Rockwell International	112TC	Commander		M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Rockwell International	112TC	Commander		N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Rockwell International	112TCA	Commander		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Rockwell International	112TCA	Commander		M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Rockwell International	112TCA	Commander		N	5.00-5	4	120	070-308-0	071-308-0	072-308-0	025-309-0*
B	Rockwell International	114	Commander		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Rockwell International	114	Commander		M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Rockwell International	114	Commander		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Rockwell International	114A	Commander		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Rockwell International	114A	Commander		M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Rockwell International	114A	Commander		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Rockwell International	114B	Commander		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	40 of 44

B	Rockwell International	114B	Commander		M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Rockwell International	114B	Commander		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Rockwell International	114TC	Commander		M	6.00-6	6	120	070-314-0	071-314-0	072-314-0	025-316-0
B	Rockwell International	114TC	Commander		M	7.00-6	6	120	070-313-0	071-313-0	072-313-0	025-321-0*
B	Rockwell International	114TC	Commander		N	5.00-5	6	120	070-312-0	071-312-0	072-312-0	025-309-0*
B	Rockwell International	500	Aero Commander		M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*
B	Rockwell International	500	Aero Commander		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	500A			M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*
B	Rockwell International	500A			N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	500B			M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*
B	Rockwell International	500B			N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	500S			M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*
B	Rockwell International	500S			N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	500U			M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*
B	Rockwell International	500U			N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	41 of 44

B	Rockwell International	520	Aero Commander		M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*
B	Rockwell International	520	Aero Commander		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	560	Aero Commander		M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*
B	Rockwell International	560	Aero Commander		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	560A	Aero Commander		M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*
B	Rockwell International	560A	Aero Commander		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	560E	Aero Commander		M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*
B	Rockwell International	560E	Aero Commander		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	560F			M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*
B	Rockwell International	560F			N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	680	Aero Commander		M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*
B	Rockwell International	680	Aero Commander		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	680E	Aero Commander		M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*
B	Rockwell International	680E	Aero Commander		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	680F			M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	42 of 44

B	Rockwell International	680F			N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	680F(P)			M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*
B	Rockwell International	680F(P)			N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	680FL			M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*
B	Rockwell International	680FL			N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	680FL(P)			M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*
B	Rockwell International	680FL(P)			N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	680T			M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*
B	Rockwell International	680V			M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*
B	Rockwell International	680W		s/n 1473 thru 1725	M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*
B	Rockwell International	680W		s/n 1726 thru 1850	M	8.50-10	10	160	025-350-0	021-350, 061-350		025-350-1
B	Rockwell International	680W		s/n 1726 and higher	N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	681		s/n 6001 thru 6072	M	8.50-10	10	160	025-350-0	021-350, 061-350		025-350-1
B	Rockwell International	681		s/n 6001 and higher	N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	685			M	8.50-10	10	160	025-350-0	021-350, 061-350		025-350-1

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	43 of 44

B	Rockwell International	685			N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	690			M	8.50-10	10	160	025-350-0	021-350, 061-350		025-350-1
B	Rockwell International	690			N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	690A	Commander		M	8.50-10	10	160	025-350-0	021-350, 061-350		025-350-1
B	Rockwell International	690A	Commander		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	690B	Commander		M	8.50-10	10	160	025-350-0	021-350, 061-350		025-350-1
B	Rockwell International	690B	Commander		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	690C	Commander		M	8.50-10	10	160	025-350-0	021-350, 061-350		025-350-1
B	Rockwell International	690C	Commander		N	15x6.0-6	6	160	070-449-0	061-501-0		025-501-0
B	Rockwell International	690C	Commander		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	690D	Commander		M	8.50-10	10	160	025-350-0	021-350, 061-350		025-350-1
B	Rockwell International	690D	Commander		N	15x6.0-6	6	160	070-449-0	061-501-0		025-501-0
B	Rockwell International	690D	Commander		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	695	Commander		M	8.50-10	10	160	025-350-0	021-350, 061-350		025-350-1
B	Rockwell International	695	Commander		N	15x6.0-6	6	160	070-449-0	061-501-0		025-501-0

Michelin North America, Inc. One Parkway South Greenville, SC 29615	INSTALLATION INSTRUCTIONS FOR MICHELIN 5, 6, 8 & 10 INCH RIM DIAMETER GENERAL AVIATION TIRES With FAA Approval per STC# SA02532AT	Document #:	MATC-GA02
		Revision	Date
		Initial Release	May 23, 2002
		A	Aug 4, 2006
		B	Aug 28, 2023
		Page:	44 of 44

B	Rockwell International	695	Commander		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	695A	Commander		M	8.50-10	10	160	025-350-0	021-350, 061-350		025-350-1
B	Rockwell International	695A	Commander		N	15x6.0-6	6	160	070-449-0	061-501-0		025-501-0
B	Rockwell International	695A	Commander		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	695B	Commander		M	8.50-10	10	160	025-350-0	021-350, 061-350		025-350-1
B	Rockwell International	695B	Commander		N	15x6.0-6	6	160	070-449-0	061-501-0		025-501-0
B	Rockwell International	695B	Commander		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	700	Commander		M	6.50-8	8	160	025-338-0	061-338-2		025-338-1
B	Rockwell International	700	Commander		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	720	Aero Commander		M	8.50-10	8	160	025-349-0	021-349, 061-349		025-350-1*
B	Rockwell International	720	Aero Commander		N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0
B	Rockwell International	840	Commander	a.k.a. 690C	N	15x6.0-6	6	160	070-449-0	061-501-0		025-501-0
B	Rockwell International	840	Commander	a.k.a. 690C	N	6.00-6	6	160	070-317-1*	061-316-1, 021-317-1*		025-316-0